
QUALIS™
PORCELANATO

*Product Catalogue*

# ELEGANTE SERIES

HIGH GLOSS



**600x1200mm**




# COMPILATION OF HIGH GLOSS SURFACES

600x1200mm
Thickness: 9mm







MYTHOS BLACK


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm








IZA BLUE

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm









CALCITE BROWN


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm









ELORA BROWN

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm



MYTHOS BLUE

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES






RANDOM DESIGN

ECO FRIENDLY

HIGH STRENGTH

LOW MAINTENANCE

600x1200mm
Thickness: 9mm



ATENEA ROYAL


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm







EMPERADOR ROYAL

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm








GARNET RELIC

Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm








CALCITE BLACK

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm




ICONIC WHITE


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm







AGATA AZUL

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



RANDOM DESIGN

ECO FRIENDLY

HIGH STRENGTH

LOW MAINTENANCE

600x1200mm
Thickness: 9mm








DESERT MOCHA


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES




# DESERT MOCHA

600x1200mm
Thickness: 9mm







FROZEN AZZURE

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES




RANDOM DESIGN


ECO FRIENDLY


HIGH STRENGTH

LOW MAINTENANCE

600x1200mm
Thickness: 9mm







CALCITE NATURAL

Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm







GIORGIO NIGHT

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES




RANDOM DESIGN

ECO FRIENDLY

HIGH STRENGTH

LOW MAINTENANCE

600x1200mm
Thickness: 9mm









AGATA COPPER


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm








EMPERADOR NOBLE


Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm








IZA BEIGE


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm








BUBBLE BROWNIE

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES




# BUBBLE BROWNIE

600x1200mm
Thickness: 9mm







GARNET AZUL

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



# GARNET AZUL

600x1200mm
Thickness: 9mm









AMBER BLACK


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm








GLORIA


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm









CRUST GREEN


Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm








FLORID


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm







ELORA BLUE

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



RANDOM DESIGN

ECO FRIENDLY

HIGH STRENGTH

LOW MAINTENANCE

600x1200mm
Thickness: 9mm








GIORGIO DUSK


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm









BUBBLE AQUA


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm







EMPERADOR RICH

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



RANDOM DESIGN

ECO FRIENDLY

HIGH STRENGTH

LOW MAINTENANCE

600x1200mm
Thickness: 9mm









DESERT COFFEE

Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm








DESERT OLIVE

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm









BRINE AQUA


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm







ELORA OLIVE

Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm








GARNET BISTRE

Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm








BRINE GREEN

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm



BUBBLE YELLOW

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm







GARNET PECAN


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm








IZA PULPIS


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm








LAGOS BLUE

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm








WONKY BROWN


Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



# WONKY BROWN

600x1200mm
Thickness: 9mm



VENEZIA BLUE

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm







MARQUINA VERDE

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



RANDOM DESIGN


ECO FRIENDLY


HIGH STRENGTH

LOW MAINTENANCE

600x1200mm
Thickness: 9mm







RED DAWN

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm







TINSEL

Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm








LAZULI BLUE

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm



VENEZIA COFFEE

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm








MARQUINA EBONY


Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm








ORCUS BLACK

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm



PANDA WHITE

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



# PANDA WHITE


RANDOM DESIGN

ECO FRIENDLY


HIGH STRENGTH

LOW MAINTENANCE

600x1200mm
Thickness: 9mm








VOLCAN BRIGHT


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



# VOLCAN BRIGHT

600x1200mm
Thickness: 9mm








MADURA BURNT


Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm







REGAL NIGHT


Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



# RADIAL NIGHT

600x1200mm
Thickness: 9mm








ZEUS


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm







RIVIERA ROYAL

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES




RANDOM DESIGN


ECO FRIENDLY


HIGH STRENGTH

LOW MAINTENANCE

600x1200mm
Thickness: 9mm








LIGNITE

Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm







TITANIUM ONIX

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm









VOLCAN DAWN


Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm








MADURA GOLD


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm







REGAL AZZURE

Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



# RADIAL AZZURE

600x1200mm
Thickness: 9mm









ORCUS BROWN


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm








VYARA

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm








SUPREMO CLASSIC


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm









OLIVERA


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm









RIVIERA GOLD


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm









MADURA GREY


Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm







SAPPHIRE WOOD


Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm







MAVERICK

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm








VOLCAN AQUA

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES




# VOLCAN AQUA

600x1200mm
Thickness: 9mm







TRIVIA GREEN


Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm







STORMY GREY

Polished Glazed
Vitrified Tiles


ELEGANTE SERIES



600x1200mm
Thickness: 9mm







TRIVIA GREEN


Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



600x1200mm
Thickness: 9mm







STORMY BEIGE

Polished Glazed
Vitrified Tiles

ELEGANTE SERIES



# GVT/ PGVT SPECIFICATIONS

| Test Description | Test Method | ISO 13006:2018 / EN 14411 Group Bla Requirement | Indian Standard IS 15622:2017 Group B1a Requirement | Value (Polished) | Value (Matt) |
|---|---|---|---|---|---|
| Length & Width | ISO 10545-2 / IS 13630-1 | ± 0.3% or ±1.0mm | ± 0.1 % | ± 0.1% | ± 0.1% |
| Thicness | ISO 10545-2 / IS 13630-1 | ± 5% or ± 0.5mm | ± 5 % | ± 4% | ± 4% |
| Straightness of Sides | ISO 10545-2 / IS 13630-1 | ± 0.3% or ±0.8mm | ± 0.1 % | ± 0.1% | ± 0.1% |
| Retangularity | ISO 10545-2 / IS 13630-1 | ± 0.3% or ± 1.5mm | ± 0.1 % | ± 0.1 % | ± 0.1 % |
| Surface Flatness | ISO 10545-2 / IS 13630-1 | ± 0.4% or ±1.8mm | ± 0. 5 % | ± 0.15% | ± 0.15% |
| Surface Quality | ISO 10545-2 / IS 13630-1 | Min 95% free from visible defects | Min 95% free from visible defects | >95% free from visible defects | >95% free from visible defects |
| Water Absorption | ISO 10545-3/ IS 13630- 2 | ≤ 0.5% , individual Max 0.6% . | Avaerage ≤0.08% , Individual 0.1% , Max | ≤ 0.05% | ≤ 0.05% |
| Breaking Strength | ISO 10545-4 / IS 13630-6 | 700 N Min for thickness < 7.5 mm, 1300 Min for thickness ≥ 7.5 mm | 700 N Min for thickness < 7.5 mm, 1300 Min for thickness ≥ 7.5 mm | ≥ 1500 N | ≥ 1500 N |
| Moisture Expansion | ISO 10545-10 / IS 13630-3 | report value | 0.02 mm/ m, Max | ≤ 0.02 mm/ m | ≤ 0.02 mm/ m |
| Modulus of Repture | ISO 10545-4/ IS 13630-6 | ≥ 35 $N/mm^2$, Individual 32 $N/mm^2$, Min | Average 35 $N/mm^2$, Individual 32 $N/mm^2$, Min | ≥ 38 N/mm2 | ≥ 38 N/mm2 |
| Resistance to Surface Abrasion | ISO 10545-7 / IS 13630 -11 | report abrasion class & Cycle passec | Class II , Min | PEI II - III | PEI III-V |
| Linear Thermal Expantion | ISO 10545-8/ IS 13630-4 | report value | Max, $6x10^{-6}$ $K^{-1}$ | ≤ $6x10^{-6}K^{-1}$ | ≤ $6x10^{-6}K^{-1}$ |
| Thermal Stock Resistance | ISO 10545-9 / IS 13630 -5 | report result | 10 cycles Min | No Damage | No Damage |
| Frost Resistance | ISO 10545-12 / IS 13630-10 | report result | required if requested by purchaser | No Damage | No Damage |
| Resistance to Chemicals | ISO 10545-13 / IS 13630-8 | GB | AA min | GA/ AA | GA/ AA |
| Resistance to Stains | ISO 10545-14 / IS 13630-8 | Min Class 3 | Class I, Min | Class3(ISO) / Class1(BIS) | Class3(ISO) / Class1(BIS) |
| Color Resistance | ISO 10545-16 | Report result | - | No change in color | No change in color |
| Color Resistance to UV Light | DIN 51094 | Report result | - | No change in color | No change in color |
| Scratch Hardness ( MOH's Scale ) | IS 13630 -13 | Not Required | 5, Min | ≥ 5 | ≥ 6 |

## PACKING DETAILS

| DIMENSION | PIECES | COVERAGE |
|---|---|---|
| 600 X 1200 MM | 2 | 1.44 sq. mtr. |

**DISCLAIMER : We tiles reserve the right to deleted and amend either totally or partially, any of the colors, shape, sizes, references and other technical specification contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors.**