

ENDLESS
SERIES



600 x
1200 mm


CREATIVE POWER BY

ENDLESS

COSMOS



ब्रह्माण्डम् ॥



ENDLESS
SERIES



PRALAY SIGARO


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



VAYU

9mm | HIGH GLOSS



600 x
1200mm



ENDLESS
SERIES



AGMA


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES




JAL NIGHT

9mm | HIGH
GLOSS



600 x
1200mm



ENDLESS
SERIES



KHOSHA

9mm | **GLOSSY**



**600x
1200mm**



ENDLESS
SERIES



AAKAR BEIGE


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



ATMANA GLORY

9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



TANTRA BROWN

9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



MUDRA


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES




CHAKRA BLACK


9mm | HIGH GLOSS



600 x
1200mm



ENDLESS
SERIES



BRAMO STEEL


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES




PAVITRA

9mm | HIGH GLOSS



600 x
1200mm



ENDLESS
SERIES



AAKAR IVORY

9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



MALINA SILVER

9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



ASHYA

9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



RAGA

9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES




DHYANA CREMA


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



VOLGA WHITE


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



HASTUR NERO

9mm | HIGH GLOSS



600 x
1200mm



ENDLESS
SERIES



ATMANA SHINY


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



SATVA STONE

9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



DEVASHYA


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



NIRVANA

9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



AMRIT


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



DHANUSH

9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



SHLOKA


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES




JAL RISE


9mm | HIGH GLOSS



600x
1200mm



ENDLESS
SERIES




BRAMO SAND


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES




VINYASA


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES




JIVA


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



JAL DUSTY

9mm | HIGH GLOSS



600 x
1200mm



ENDLESS
SERIES



TANTRA GREY


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



ATMANA BEAUTY

9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES




PRALAY BOLD


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



MOHAK


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES




SUTRA

9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



ATMANA DUSTY


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



HASTUR BROWN


9mm | HIGH GLOSS



600 x
1200mm



ENDLESS
SERIES




MOKSH


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



SATVA MOSS


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



CHAKRA BLUE

9mm | HIGH GLOSS



600 x
1200mm



ENDLESS
SERIES



MALINA BEIGE


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES




DHYANA WHITE


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES




SATVA SAND

9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



KARMA


9mm | GLOSSY



600x
1200mm



ENDLESS
SERIES



KARA

9mm | GLOSSY



600x
1200mm



GVT / PGVT SPECIFICATIONS

Test Description	Test Method	ISO 13006:2018 / EN 14411 Group B1a Requirement	Indian Standard IS 15622:2017 Group B1a Requirement	Value (Polished)	Value (Matt)
Length & Width	ISO 10545-2 / IS 13630-1	± 0.3% or ±1.0mm	± 0.1 %	± 0.1%	± 0.1%
Thicness	ISO 10545-2 / IS 13630-1	± 5% or ± 0.5mm	± 5 %	± 4%	± 4%
Straightness of Sides	ISO 10545-2 / IS 13630-1	± 0.3% or ±0.8mm	± 0.1 %	± 0.1%	± 0.1%
Retangularity	ISO 10545-2 / IS 13630-1	± 0.3% or ± 1.5mm	± 0.1 %	± 0.1 %	± 0.1 %
Surface Flatness	ISO 10545-2 / IS 13630-1	± 0.4% or ±1.8mm	± 0.5 %	± 0.15%	± 0.15%
Surface Quality	ISO 10545-2 / IS 13630-1	Min 95% free from visible defects	Min 95% free from visible defects	>95% free from visible defects	>95% free from visible defects
Water Absorption	ISO 10545-3/ IS 13630- 2	≤ 0.5%, individual Max 0.6% .	Avaerage ≤0.08%, Individual 0.1%, Max	≤ 0.05%	≤ 0.05%
Breaking Strength	ISO 10545-4 / IS 13630-6	700 N Min for thickness < 7.5 mm, 1300 Min for thickness ≥ 7.5 mm	700 N Min for thickness < 7.5 mm, 1300 Min for thickness ≥ 7.5 mm	≥ 1500 N	≥ 1500 N
Moisture Expansion	ISO 10545-10 / IS 13630-3	report value	0.02 mm/ m, Max	≤ 0.02 mm/ m	≤ 0.02 mm/ m
Modulus of Repture	ISO 10545-4/IS 13630-6	≥ 35 N/mm ² , Individual 32 N/mm ² , Min	Average 35 N/mm ² , Individual 32 N/mm ² , Min	≥ 38 N/mm2	≥ 38 N/mm2
Resistance to Surface Abrasion	ISO 10545-7 / IS 13630-11	report abrasion class & Cycle passec	Class II , Min	PEI II - III	PEI III-V
Linear Thermal Expantion	ISO 10545-8/ IS 13630-4	report value	Max, 6x10 ⁻⁶ K ⁻¹	≤ 6x10 ⁻⁶ K ⁻¹	≤ 6x10 ⁻⁶ K ⁻¹
Thermal Stock Resistance	ISO 10545-9 / IS 13630 -5	report result	10 cycles Min	No Damage	No Damage
Frost Resistance	ISO 10545-12 / IS 13630-10	report result	required if requested by purchaser	No Damage	No Damage
Resistance to Chemicals	ISO 10545-13 / IS 13630-8	GB	AA min	GA/ AA	GA/ AA
Resistance to Stains	ISO 10545-14 / IS 13630-8	Min Class 3	Class I, Min	Class3(ISO) / Class1(BIS)	Class3(ISO) / Class1(BIS)
Color Resistance	ISO 10545-16	Report result	-	No change in color	No change in color
Color Resistance to UV Light	DIN 51094	Report result	-	No change in color	No change in color
Scratch Hardness (MOH's Scale)	IS 13630 -13	Not Required	5, Min	≥ 5	≥ 6

PACKING DETAILS

DIMENSION	PIECES	COVERAGE
600 X 1200 MM	2	1.44 sq. mtr.

DISCLAIMER : We tiles reserve the right to deleted and amend either totally or partially, any of the colors, shape, sizes, references and other technical specification contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors.

