


# **SUPREMACY** SERIES

HIGH GLOSS




**600x1200mm**





## **COMPILATION OF HIGH GLOSS SURFACES**


600x1200mm  
Thickness: 9mm



**ALDO BROWN**



Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES



**ALDO BROWN**

600x1200mm  
Thickness: 9mm



**VENINZULA BRIGHT**



Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**VENINZULA BRIGHT**



600x1200mm  
Thickness: 9mm



**CONTUSE BLUE**




Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES



**CONTUSE BLUE**

600x1200mm  
Thickness: 9mm



**ALASKA WHITE**

Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES



**ALASKA WHITE**



RANDOM DESIGN



ECCO FRIENDLY






HIGH STRENGTH



LOW MAINTENANCE

600x1200mm  
Thickness: 9mm



**NAUTILUS BEACH**



Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**NAUTILUS BEACH**



600x1200mm  
Thickness: 9mm



LIVID GOLD

Polished Glazed  
Vitrified Tiles

SUPREMACY  
SERIES

LIVID GOLD




600x1200mm  
Thickness: 9mm



**ROSS SILVER**




Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES



**ROSS SILVER**


600x1200mm  
Thickness: 9mm



**DERBY DESERT**

Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES



**DERBY DESERT**



RANDOM DESIGN



ECO FRIENDLY




HIGH STRENGTH



LOW MAINTENANCE

600x1200mm  
Thickness: 9mm



**SIDON WHITE**


Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES



**SIDON WHITE**

600x1200mm  
Thickness: 9mm



**ARMOUR ONYX-BLUE**




Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**ARMOUR ONYX BLUE**



600x1200mm  
Thickness: 9mm



**GLISTER BRONZE**


Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**GLISTER BRONZE**



600x1200mm  
Thickness: 9mm



**CONTUSE GREY**

Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES



**CONTUSE GREY**

600x1200mm  
Thickness: 9mm



**SPLASH BLUE**



Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES



**SPLASH BLUE**

600x1200mm  
Thickness: 9mm



**ARIZONA STONE**




Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**ARIZONA STONE**




600x1200mm  
Thickness: 9mm



LIVID NATURAL

Polished Glazed  
Vitrified Tiles

SUPREMACY  
SERIES



600x1200mm  
Thickness: 9mm



**SPLASH LIME**




Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES



**SPLASH LIME**

600x1200mm  
Thickness: 9mm



**BERYL NATURAL**


Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES



**BERYL NATURAL**

600x1200mm  
Thickness: 9mm




**MARVIS AMBER**

Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**MARVIS AMBER**



600x1200mm  
Thickness: 9mm



**PESTA MONK**




Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**PESTA MONK**



600x1200mm  
Thickness: 9mm



**JETTY BROWN**




Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**JETTY BROWN**



600x1200mm  
Thickness: 9mm



**CONTUSE COCOA**



Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**CONTUSE COCOA**



600x1200mm  
Thickness: 9mm





PESTA ZEN

Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**PESTA ZEN**

600x1200mm  
Thickness: 9mm




**ROSS SUNSET**




Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**ROSS SUNSET**




600x1200mm  
Thickness: 9mm



ALDO FROST


Polished Glazed  
Vitrified Tiles

SUPREMACY  
SERIES



ALDO FROST

600x1200mm  
Thickness: 9mm



**DUSTY BROWN**

Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**DUSTY BROWN**



600x1200mm  
Thickness: 9mm



**ARMOUR ONYX-BEIGE**

Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**ARMOUR ONYX BEIGE**



600x1200mm  
Thickness: 9mm



**ARMOUR ONYX ROYAL**

Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**ARMOUR ONYX ROYAL**



600x1200mm  
Thickness: 9mm



**CONTUSE GOLD**



Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**CONTUSE GOLD**



600x1200mm  
Thickness: 9mm



LARK SILVER



Polished Glazed  
Vitrified Tiles

SUPREMACY  
SERIES

LARK SILVER



600x1200mm  
Thickness: 9mm



**BORA BORA BLUE**


Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES



**BORA BORA BLUE**

600x1200mm  
Thickness: 9mm





**MARVIS SOMBER**

Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**MARVIS SOMBER**

600x1200mm  
Thickness: 9mm



**CRAG GREY**

Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**CRAG GREY**



600x1200mm  
Thickness: 9mm





**ATOLINI COFFEE**

Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**ATOLINI COFFEE**

600x1200mm  
Thickness: 9mm




**ATOLINI BROWN**

Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**ATOLINI BROWN**


600x1200mm  
Thickness: 9mm



**DERBY FLOSS**

Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES



**DERBY FLOSS**

600x1200mm  
Thickness: 9mm



**LARK WHITE**


Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**LARK WHITE**



600x1200mm  
Thickness: 9mm



**GLISTER SILVER**


Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**GLISTER SILVER**



600x1200mm  
Thickness: 9mm



DUSTY DARK

Polished Glazed  
Vitrified Tiles

**SUPREMACY**  
SERIES

**DUSTY DARK**



## GVT/ PGVT SPECIFICATIONS

Test Description	Test Method	ISO 13006:2018 / EN 14411 Group B1a Requirement	Indian Standard IS 15622:2017 Group B1a Requirement	Value (Polished)	Value (Matt)
Length & Width	ISO 10545-2 / IS 13630-1	± 0.3% or ±1.0mm	± 0.1 %	± 0.1%	± 0.1%
Thickness	ISO 10545-2 / IS 13630-1	± 5% or ± 0.5mm	± 5 %	± 4%	± 4%
Straightness of Sides	ISO 10545-2 / IS 13630-1	± 0.3% or ±0.8mm	± 0.1 %	± 0.1%	± 0.1%
Rectangularity	ISO 10545-2 / IS 13630-1	± 0.3% or ± 1.5mm	± 0.1 %	± 0.1 %	± 0.1 %
Surface Flatness	ISO 10545-2 / IS 13630-1	± 0.4% or ±1.8mm	± 0.5 %	± 0.15%	± 0.15%
Surface Quality	ISO 10545-2 / IS 13630-1	Min 95% free from visible defects	Min 95% free from visible defects	>95% free from visible defects	>95% free from visible defects
Water Absorption	ISO 10545-3/ IS 13630- 2	≤ 0.5%, individual Max 0.6% .	Average ≤0.08%, Individual 0.1%, Max	≤ 0.05%	≤ 0.05%
Breaking Strength	ISO 10545-4 / IS 13630-6	700 N Min for thickness < 7.5 mm, 1300 Min for thickness ≥ 7.5 mm	700 N Min for thickness < 7.5 mm, 1300 Min for thickness ≥ 7.5 mm	≥ 1500 N	≥ 1500 N
Moisture Expansion	ISO 10545-10 / IS 13630-3	report value	0.02 mm/ m, Max	≤ 0.02 mm/ m	≤ 0.02 mm/ m
Modulus of Rupture	ISO 10545-4/ IS 13630-6	≥ 35 N/mm <sup>2</sup> , Individual 32 N/mm <sup>2</sup> , Min	Average 35 N/mm <sup>2</sup> , Individual 32 N/mm <sup>2</sup> , Min	≥ 38 N/mm <sup>2</sup>	≥ 38 N/mm <sup>2</sup>
Resistance to Surface Abrasion	ISO 10545-7 / IS 13630 -11	report abrasion class & Cycle passec	Class II , Min	PEI II - III	PEI III-V
Linear Thermal Expantion	ISO 10545-8/ IS 13630-4	report value	Max, 6x10 <sup>-6</sup> K <sup>-1</sup>	≤ 6x10 <sup>-6</sup> K <sup>-1</sup>	≤ 6x10 <sup>-6</sup> K <sup>-1</sup>
Thermal Stock Resistance	ISO 10545-9 / IS 13630 -5	report result	10 cycles Min	No Damage	No Damage
Frost Resistance	ISO 10545-12 / IS 13630-10	report result	required if requested by purchaser	No Damage	No Damage
Resistance to Chemicals	ISO 10545-13 / IS 13630-8	GB	AA min	GA/ AA	GA/ AA
Resistance to Stains	ISO 10545-14 / IS 13630-8	Min Class 3	Class I, Min	Class3(ISO) / Class1(BIS)	Class3(ISO) / Class1(BIS)
Color Resistance	ISO 10545-16	Report result	-	No change in color	No change in color
Color Resistance to UV Light	DIN 51094	Report result	-	No change in color	No change in color
Scratch Hardness ( MOH's Scale )	IS 13630 -13	Not Required	5, Min	≥ 5	≥ 6

### PACKING DETAILS

DIMENSION	PIECES	COVERAGE
600 X 1200 MM	2	1.44 sq. mtr.

**DISCLAIMER :** We tiles reserve the right to deleted and amend either totally or partially, any of the colors, shape, sizes, references and other technical specification contained in this catalogue at anytime. The colors shown of tiles in this catalogue are purely illustrative and limited to printing process. Please refer actual sample before final selection. The details of sizes, colors, references should be verified for typographical errors.

